Cole-Parmer®

Spex SamplePrep is now part of Cole-Parmer

SM-300 ShatterBox® Versatile Ring & Puck Mill



- Pulverize up to 150 grams of brittle material to analytical fineness
- Grinding times range from two to five minutes, with resultant particle size to analytical fineness ($<50~\mu m$)
- Automated locking dish and guided dish positioning
- LCD touchscreen with easy navigation

The SM-300 model has many advanced features including industrial design, user friendly touchscreen interface, variable run speed, ergonomic dish loading platform, automated locking clamp, a safety interlocking door, and lockable casters making the large, more industrial mill easy to move from one laboratory to another.

The ShatterBox is a versatile ring and puck mill that can crush and grind many types and sizes of samples with minimal sample loss and increased safety. Our SM-300 ShatterBox features an automated locking dish and guided dish positioning with an automatic elevation of the dish for ease of use and greater flexibility. The versatility of sample containers allows for grinding within smaller dishes without the ring, as well as the ability to increase sample sizes and capacity with our ring and puck system.

Typical applications include: XRF, XRD, ICP, AAS, and IR analyses for rocks, minerals, cement, ores, slag, soil, and ceramics.

Features



Variable speed



Durable



Programmable methods



Automated safety features

SM-300 ShatterBox®

Sample Types Include











Cement

Glass Ceramics

Grains

Pigments

Specifications

Ambient Temperature	4-35 °C (40-90°F)
Humidity	0-95%
Operating Rate	800 to 1200 rpm (1050 rpm max for tungsten carbide dish)
Electrical	115 VAC, 60 Hz (10-amp fuse) or 230 VAC, 50/60 Hz (5-amp fuse)
Motor	1/2 HP, 1200 rpm (maximum speed)
Dimensions (W x H x D)	67.5 x 138.0 x 66.0 cm (26.6 x 54.3 x 26.0")
Weight	200 kg (440 lb) (without grinding container)
Warranty	3 years

Ordering Information

Description	Item Number
SM-300 ShatterBox, Ring and Puck Mill, 115 VAC, 60 Hz	41010-83
SM-300 ShatterBox, Ring and Puck Mill, 230 VAC, 50/60 Hz	41010-84

SM-300 ShatterBox®

Ordering Information – Accessories

Description	Item Number
Hardened Steel Grinding Container with Handles	41010-85
Tungsten Carbide Grinding Container Handles	41010-87
Alumina Ceramic Grinding Container Handles	41010-89
Zirconia Ceramic Grinding Container Handles	41010-91
Large Hardened Steel Grinding Container with Handles	41010-92

Need a Demo?

- Virtual sample processing virtual demonstration of the equipment and sample processing
- Physical sample processing physical testing of your sample with shared results
- Physical equipment testing a demo unit can be sent to your facility to test before purchasing

Contact us today at **sampleprep@antylia.com** for details.

All other countries: +1.847.549.7600

