

Alissa Align & Call

The Next Evolution of NGS Data Analysis

Alissa Align & Call Delivers:

- Faster time-to-results
- Optimized algorithms for Agilent assays
- · Greater efficiency than internal pipelines
- Seamless analysis pipeline and variant assessment integration
- · Comes with a team of experts
- Secure, ISO 27001 certified environment

Make your Data Analysis Flow

Alissa Align & Call ushers in the next generation of NGS data analysis on the Agilent Alissa Clinical Informatics platform to deliver bioinformatic accuracy and speed, from raw data to draft report.

With optimized algorithms for samples enriched by Agilent SureSelect, HaloPlex, and OneSeq libraries and reagents, Align & Call unlocks complex data and accelerates time-to-results. In an integrated NGS workflow, Align & Call's upstream process to align and call variants for detection, annotation, and visualization is scalable and its QC assessment and VCF files easily flow downstream on the Alissa platform to data interpretation and reporting.

Designed for NGS Data Management Ease

Alissa Align & Call is designed with the routine lab user in mind. Navigating big genomics data using Align & Call's analysis pipeline — from raw data to variant identification — does not require complex IT infrastructure or special hardware. As a fully-hosted workflow, Align & Call is easily deployed and comes with Agilent's team of experts to help your lab quickly setup and scale volumes.



Figure 1. A 3D view of how the tools and functionality provided by Alissa Align & Call deliver data analysis across NGS application areas and genomic events.



Analysis, Interpretation, and Workgroup Integration

Alissa Align & Call seamlessly integrates downstream with the variant assessment and reporting module on the Alissa Clinical Informatics platform, making QC reports and VCF files easy to export and navigate among all users within the same workgroup, when accounts are fully subscribed.

From Sequencing Data to Report



Single NGS Informatics Platform

Figure 2. Shared access to data, files, and results fosters collaboration across the platform, increasing operational efficiency, and establishing higher industry standards throughout the lab.

Speed, Quality, and Accuracy

Comprehensive QC metrics of Align & Call ensure NGS data quality at a robust workflow level. The quality performance of Align & Call is fueled by algorithms optimized for Agilent's industry leading Target Enrichment solution, yielding robust coverage metrics for SNPs, indels, CNV and cnLOH variant analysis, which increases the speed of analyses without sacrifice of quality or accuracy.

🔆 Agilent Technologies 🛛 Alissa Align 8	& Call														hti miu 🗸 👻			
Upload files Analyses Configuration -													_		ministration T			
	Ong EL_SCS_v6s_XTHS_Ver_01091	0 44 644												g 🖆 Export vcf				
General QC metrics Variants	01g_EL_303_405_X113_V61_01081	0_14_314											Additio	g El Exporter	Sign-on			
Analysis details																		
Status	Available					Created o				018 10:00:25								
Sample name Target enrichment panel	ExomeV/7_SeraCare_10ng_EL_SCS_v6s_XTHS_Ver SureSelect Human & Exon V/7	_010918_14_S14				Created t			Hi_niu Feb 13, 20	018 10 00 25								
Genome build	hg19					Last upda	ated by		Hi_niu									
Analysis method	Agilent Technologies Alissa Align &	& Call															lili niu 🔻	
Data files																		
Filename	Upload files Analyses Configuration 💌																Administration •	
EL_SCS_v6s_XTHS_Ver_010918_14_S14_R1.fastq.g	Analyses > ExomeV7_SeraCare_1	Ong_EL_SCS	_v6s_XTHS_	Ver_010918_	14_S14											Audit log 🗹 E	xport vcf 🕝 Sign-off	
EL_SCS_v6s_XTHS_Ver_010918_14_S14_R2.feeto.c	General QC metrics Variants																	
EL_SCS_v6s_XTHS_Ver_010918_14_S14_R3.fasto.c	General General Valiants																	
Status	Reports																	
	QC results		*															
Analy Analy	FastQC results Coverage statistics		÷															
Steps	Regions below threshold Exons below threshold		+															
ime	LAUIS DEIJW INFESTIOLO		-															
eb 13, 2018 10:01:32	Metrics for input file	🔆 Agilent Techn	notopies Alissa	Align & Ca														bits robu
eb 13, 2018 10:01:33 eb 13, 2018 10:01:33	Number of reads in untrimmed fasto file	Liniond Stee An	nalyses Configura	atico x Malo x		_	_											Administra
eb 13, 2018 10:01:33 eb 13, 2018 10:01:34	Number of reads in trimmed fastq file						_											AUTITIOUS
eb 13, 2018 10:01:35	Number of reads trimmed	Analyses >	ExomeV7_Ser	raCare_10ng_6	EL_SCS_v6s_	XTHS_Ver_	010918_14	4_S14										🛄 Audit log 🗹 Export vol 🥑 Sig
eb 13, 2018 10:01:36	Molecular barcode metrics	General Q	C metrics Varia	ants														
eb 13, 2018 10:01:36		-																
eb 13, 2018 10:01:37 eb 13, 2018 10:15:03	Number of reads filtered due to low quality of mole Percentage of duplicate molecules		variants (50786)															T
eb 13, 2016 10, 15:03		Position								ad depth Forward r	refalleles Reverse n	efalleles Forward	non-ref alleles Reverse no	n-refaileles Number of v				Protein) Effect
eb 13, 2018 10:15:03	Overall metrics for all reads in BAM file	 ohr1:12.198 ohr1:12.268 		G C SNP		0.921		0e-255 255 41 0e-255 255 41	127	17	3	81	30	25		01.10.g.12198GHC NR_ 01.10.g.12288GHA NR_		DOWNSTREAM(MODIFIER]]/WASH7P/No DOWNSTREAM(MODIFIER]]/WASH7P/No
eb 13, 2018 10:15:03	Number of reads in barn file	B chr1:12,272		G A SNP		0.233	HET 1.00	0e-255 255 41	103	15	65	6	10	24	NC_0000	01.10.g.122720xA NR	046018.2 n 354+45G>A	DOWNSTREAM(MODIFIER)]/WASH7P(No
eb 13, 2018 10:36:11	Number of reads in barn file passing mapping qual			T A SNP		0.118		0e-217 217 41	34	٥	25	0	4	4	NC_0000	01.10.g.13013T>A NR_		DOWNSTREAM(MODIFIER))/MIR6859-1/N
eb 13, 2018 11 27 08 eb 13, 2018 11 27 09	Number of reads mapping to multiple genomic loca Number of reads in sequenceable region	al chr1:13,656	1452535293	CAG C Deletion		0.667		0e-255 255 41 0e-255 255 41	21	1	6	0	14	14		01.10.g.14699C>G NR_	040018	DOWNSTREAM(MODIFIER)((MIR6859-1)N DOWNSTREAM(MODIFIER)((DOX11L1)No
eb 13, 2016 11 27 09 eb 13, 2018 11 27 10	*Align and Call uses reads that passed the mapping q		190662375	A G SNP		0.010		0e-255 255 41	82	11	22	31	19	50		01.10.g.14907A>G NR		DOWNSTREAM(MODIFIER)((DOX11L1)No
eb 13, 2018 11:27:14		det114.930	rs6682385	A G SNP		0.697	HET 1.00	0e-255 255 41	89	11	17	34	28	62		01.10.0.14930A>G NR		DOWNSTREAM(MODIFIER)((DOX11L1)No
wh 13: 2018 11:31:14	Overall metrics related to analyzable targ			A C SNP		0.127		0e-222 222 41	71	52	11	8	1	9		01.10.g.16949A>C NR_		DOWNSTREAM(MCDIFIER)((DOX11L1)No
	Number of genomic bases in analyzable target regi			G A SNP G A SNP		0.108		0e-213 213 41	83	59	10	8	1	9		01.10.0.16963G>A NR_		DOWNSTREAM(MODIFIER) DDX11L1 No DOWNSTREAM(MODIFIER) DDX11L1 No
	Number of sequenced bases in analyzable target re Number of reads	e chr1:17,020		G A SNP		0.231		0e-218 218 41	10	31	45	4	8	10		01.10.0.10077G>A NR_ 01.10.0.170200>A NR		DOWNSTREAM(MODIFIER)(DOX11L1)No.
	Number of reads	U chr1:17.385				0.252		0e-255 255 41	123	47	40	15	16	31		01.10.0.17385G>A NR	108918.1n.52C>T	DOWNSTREAM(MODIFIER))(DDX11L1)No
	Coverage	4											1.4					
		- Select -	 Actions or 	on selection 👻													Show	20 T Results H -4 Page: 1 of 2540
	at least 1 read																	
	at least 5 reads at least 10 reads									13 phr1:12106-12213			ର ଭ <u>NCBI UCBC</u>					
	at least 20 reads	\$08,52 \$19,23	101,21 101,12		8043 8042 8041						1973 1972 1972					មារ មារ មារ		da els edis edis edis els
	at least 50 reads																	
	at least 100 reads	5	5	12185		12192		12194		12/97		12200		2200	12206		12208	12211
	at least 200 reads at least 500 reads		A A	6	A A	Y 6	City City	6	- T		6	A 6	C A		C A	A C	Lev .	
	at least 1000 reads		Lys.			Net		Ser	_	Glu		Ser		te .		Aan	Pre	Ser
	at least 5000 reads			kri .					Val		A-1		Ka		ler 🛛	Thr		Ser
	at least 10000 reads	Gene																
												SOX11L1						
		Target panel																
		Variants																
										1.1.1	c							
		Alignment track	_	_								_						
		Sample																
																	-	
						_												

Figure 3. All expected SNPs and indels were identified and presented by Align & Call when analyzed using SureSelect Human All Exon V7 in a single day exome workflow from DNA to captured libraries.

www.agilent.com/lifesciences/alissa

For Research Use Only. Not for use in diagnostic procedures.

This information is subject to change without notice.

PR7000-1862 © Agilent Technologies, Inc. 2018 Reprinted in the USA, March 30, 2018 5991-9121EN

